

J6703(C)

What is claimed is:

1. A kit for delivering a cosmetic composition for topical application to human skin comprising:
 - 5 a) a massage applicator apparatus comprising a power source driving an oscillating mechanism connected to an interface medium;
said massage applicator apparatus further comprising means for delivering vibration to said interface medium;
10 said interface medium having at least one exit orifice therein;
and
b) a cosmetic composition.
- 15 2. The package of claim 1 wherein said power source comprises an *on* and *off* control device.
3. The kit of claim 1 wherein said power source comprises a switch.
- 20 4. The kit of claim 1 wherein said interface medium comprises an applicator outer surface and an inner surface;
and wherein said applicator surface comprises protuberances thrusting out therefrom.
- 25 5. The kit of claim 1 further comprising a composition refill system.

- 5
10
15
20
25

12. The method of claim 8 wherein said kit further comprises a composition refill system.
- 5 13. The method of claim 8 wherein said kit further comprises a composition delivery system.
14. The method of claim 8 wherein said kit further comprises a cover seatable over said interface medium.
- 10 15. A method of delivering a cosmetic composition for topical application to human skin comprising the use of a kit comprising:
- a) a massage applicator means for delivering massage to said skin; and
- 15 b) a cosmetic composition.
16. The method of claim 15, wherein said massage applicator means comprising an interface medium, wherein the geometry of said
- 20 interface medium is selected from the group consisting of an interface medium that is substantially smooth, an interface medium comprising protuberances thrusting out therefrom, and combinations thereof.